

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6438641".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 20:43
L2	2	"6438614".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 20:45
L3	2	"6052779".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 20:46
S4	1523	(remote\$3) same (reset\$3 or shutdown) same (node or device) same (command or program or instruct\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 12:55
S5	205	(remote\$3) with (reset\$3 or shutdown) with (node or device) with (command or program or instruct\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 12:55
S6	25	(remote\$3) with (reset\$3 or shutdown) with (node or device or junction or end \$point) with (command or program or instruct\$4) with (network or WAN or LAN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 12:57
S7	36	(remote\$3) with (reset\$3 or re\$set\$3 or reboot\$3 or re \$boot\$3 or re\$start\$3 or restart\$3 or shutdown) with (node or device or junction or end\$point) with (command or program or instruct\$4) with (network or WAN or LAN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 13:04

S8	16	(remote\$3) with (reset\$3 or re\$set\$3 or reboot\$3 or re\$boot\$3 or re\$start\$3 or restart\$3 or shutdown) with (node or device or junction or end\$point) with (command or program or instruct\$4) with (network or WAN or LAN) and @ay< "2003,08,14"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 13:05
S9	7	(remote\$3) with (reset\$3 or re\$set\$3 or reboot\$3 or re\$boot\$3 or re\$start\$3 or restart\$3 or shutdown) with (node or device or junction or end\$point) with (command or program or instruct\$4) with (network or WAN or LAN) and (forward \$3) same (command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 13:08
S10	1164	(reset\$3 or shutdown) same (packet or datagram) same (delay)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:54
S11	204	(reset\$3 or shutdown) same (packet or datagram) same (delay) same (network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:54
S12	913	(reset\$3 or shutdown) same (packet or datagram) same (delay) and (network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:54
S13	913	(reset\$3 or shutdown) same (packet or datagram) same (delay) and (network) and ay< "2003,08,14"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:55
S14	124	(reset\$3 or shutdown) same (packet or datagram) same (delay) and (network) same (ring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:55

S15	16	(reset\$3 or shutdown) same (packet or datagram) same (delay) and (network) same (ring) same (serial\$4 or sequential\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 17:56
S16	160	(reset\$3 or shutdown) same (node or device) same (delay) and (network) same (ring) same (serial\$4 or sequential\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 18:10
S17	11	(reset\$3 or shutdown) same (node or device) same (packet) same (delay) and (network) same (ring) same (serial\$4 or sequential \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 18:11
S18	34	(reset\$3 or shutdown) same (node or device) same (packet) same (delay) and (network) same (ring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 18:11
S19	55	(reset\$3 or re\$set\$3 or reboot\$3 or re\$boot\$3 or re \$start\$3 or restart\$3 or shutdown) with (node or device or junction or end \$point) with (command or program or instruct\$4 or agent) with (network or WAN or LAN) and (forward \$3) same (command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 18:38
S20	27012	(reset) with (command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 16:51
S21	2092	(reset) near3 (command) with (node or device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 16:52
S22	1123	(reset) adj (command) with (node or device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 16:52

S23	45	(reset) adj (command) with (node or device) same (packet or datagram or PDU)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 17:02
S24	138	(reset) adj (command or packet) with (node or device) and (packet or datagram or PDU) same (register or counter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 17:15
S25	8	(reset) adj (command or packet) with (node or device) and (packet or datagram or PDU) same (register or counter) same (decrement\$4 or decreas \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 17:15
S26	152	(reset) adj (command or packet) with (node or device or switch or PC) and (packet or datagram or PDU) same (register or counter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 17:29
S27	462	(reset) near3 (command or packet) with (node or device or switch or PC) and (packet or datagram or PDU) same (register or counter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 17:30
S28	303	(reset) near3 (command or packet) with (node or device) and (packet or datagram or PDU) with (register or counter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 17:30
S29	27	(reset) near3 (command or packet) with (node or device) and (packet or datagram or PDU) with (register or counter) with (decrement\$4 or decreas \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 17:31
S30	7	(reset) adj (command or packet) with (node or module or port) and (packet or datagram or PDU) same (register or counter) same (decrement \$4 or decreas\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 17:43

S31	7	(reset\$4 or re\$setting) adj (command or packet) with (node or module or port) and (packet or datagram or PDU) same (register or counter) same (decrement \$4 or decreas\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 17:44
S32	63	(reset\$4 or re\$setting) near5 (command or packet) with (node or module or port) and (packet or datagram or PDU) same (register or counter) same (decrement\$4 or decreas \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 17:49
S33	40	(reset\$4 or re\$setting) near5 (command or packet) with (node or module or port) and (packet or datagram or PDU) with (register or counter) with (decrement\$4 or decreas \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 17:50
S34	393	(reset\$4 or re\$setting) near5 (command or packet) with (node or module or port or element or counter or register) and (packet or datagram or PDU) with (decrement\$4 or decreas \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 18:28
S35	439	(reset\$4 or re\$setting or flush\$3) near5 (command or packet) with (node or module or port or element or counter or register) and (packet or datagram or PDU) with (decrement\$4 or decreas\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 18:29
S36	457	(reset\$4 or re\$setting or flush\$3) near5 (command or packet) with (node or module or port or element or counter or register) and (packet or datagram or PDU) with (decrement\$4 or decreas\$3 or TTL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 18:29

S37	47	(reset\$4 or re\$setting or flush\$3) near5 (command or packet) with (node or module or port or element or counter or register) same (packet or datagram or PDU) with (decrement\$4 or decreas\$3 or TTL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 18:29
S38	7	(reset\$4 or re\$setting or flush\$3) near5 (command or packet) with (node or module or port or element or counter or register) same (packet or datagram or PDU) with (decrement\$4 or decreas\$3 or TTL) and (ring or loopback)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 18:31
S39	37	(reset\$4 or re\$setting or flush\$3) near5 (command or packet) with (node or module or port or element or counter or register) same (decrement\$4 or decreas\$3 or TTL) and (ring or loopback)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 18:35
S40	6	(reset\$4 or re\$setting or flush\$3) near5 (command or packet) with (node or module or port or element or counter or register) same (decrement\$4 or decreas\$3 or TTL) same (ring or loopback)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 18:36
S41	3803	(global) with (reset or wakeup or shutdown)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 18:38
S42	50	(global) with (reset or wakeup or shutdown).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 18:38
S43	17	(global) with (reset or wakeup or shutdown) with (node or device or module or port).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 18:39

S44	87	(global) with (reset or wakeup or shutdown) with (node or device or module or port) with (command or packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 18:42
S45	0	(global) with (reset or wakeup or shutdown) with (node or device or module or port) with (command or packet) same (ring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 18:43
S46	17	(global) with (reset or wakeup or shutdown) with (node or device or module or port) with (command or packet) and (ring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 18:43
S47	4	709/251.ccls. and (global) with (reset or wakeup or shutdown)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 19:01
S48	2048	(initializ\$4 or reset\$3 or restart\$3) with (device or node or module or workstation or station or host or terminal or desktop or computer) same (sequentially or sequence or serially) same (network or WAN or LAN)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 20:35
S49	400	(initializ\$4 or reset\$3 or restart\$3) with (device or node or module or workstation or station or host or terminal or desktop or computer) same (sequentially or sequence and serially) same (network or WAN or LAN)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 20:35
S50	128	(initializ\$4 or reset\$3 or restart\$3) with (device or node or module or workstation or station or host or terminal or desktop or computer) same (sequentially or sequence and serially) same (network or WAN or LAN) and (ring)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 20:36

S51	79	(initializ\$4 or reset\$3 or restart\$3) with (device or node or module or workstation or station or host or terminal or desktop or computer) same (sequentially or sequence and serially) same (network or WAN or LAN) and (ring) same (network)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 20:36
S52	50	(initializ\$4 or reset\$3 or restart\$3) near5 (device or node or module or workstation or station or host or terminal or desktop or computer) same (sequentially or sequence and serially) same (network or WAN or LAN) and (ring) same (network)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 20:37
S53	2	(packet) with (initializ\$4 or reset\$3 or restart\$3) with (device or node or module or workstation or station or host or terminal or desktop or computer) same (sequentially or sequence and serially) same (network or WAN or LAN) and (ring) same (network)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 20:41
S54	0	(global) with (wake) with (LAN).ti.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/17 10:23
S55	2	(global) with (wake) with (LAN)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/17 10:23

10/21/2008 8:52:50 PM

C:\Documents and Settings\abilgrami\My Documents\EAST\Workspaces\10568118.wsp